

Touch Panel PC D101WN

10.1-inch Industrial Touch Panel PC - Windows®

RUGSTORM Touch Panel PC Windows® Series is a range of Windows® industrial panel PCs from 10.1 to 21.5 inches. Its versatile, installation-friendly design integrates seamlessly into a wide variety of industrial setups, delivering maximum flexibility with minimal effort. Combined with RUGSTORM's fast and cost-effective customization services, the Windows® series offers a solution precisely tailored to your workflow, performance requirements, and long-term operational needs.



Extreme Temp. Resistance
Humidity Resistance



Capacitive Touch Panel
5-point Multi-touch



Sleek Stylish Design
Aluminium-alloy Frame



ESD Certified
Front Panel Protection



Seamless Connectivity
Comprehensive I/O Ports




Tailored Specifications
Customization Available

10.1-inch Windows® Industrial Panel PC



RUGSTORM | Touch Panel PC D101WN

OS	Windows® 10 LTSC / Windows® 11	Memory	4GB DDR4 / 16GB	
CPU	Intel Processor N100, 3.5GHz (Max)	Storage	128GB / 256GB / 512GB / 1TB	
Display	10.1-inch	Dimension	252mm (L) 171mm (W) 49.5mm (D)	
	1280 x 800 resolution		1.1kg	
	5-point capacitive touch screen	Power	Input : 12V	
	Max Brightness: 300 cd/m2		Wireless Connectivity	Wi-Fi 2.4GHz
	Contrast Ratio: 1000:1			4G LTE (optional)
	Viewing Angel: 170°			Bluetooth® v5.4(optional)
Response Time : 30ms	Environmental Resistance	Operating Temperature : -10°C ~55°C		
Backlight Light Life : 30,000h (Min)		Storage Temperature : -20°C ~ 60°C		
Interface		· USB-C x 1	Operating Humidity : 0%~95% (non-condensing)	
		· USB 3.0 x 4	Front Panel Sealing : IP54 / IP65 (optional)	
		· USB 2.0 x 2	Surface Hardness : 6H	
	· DB9 x 2	Compliance	JATE / TELEC / VCCI / CE DOC / UKCA	
	· HDMI x 1		...	
· DP x 1				
· RJ45 x 2				
· Audio x 1				



*RUGSTORM holds a wide range of certifications across multiple countries, For more information, please contact us at sales@rugstorm.com

*Specifications are subject to change without notice. For the latest updates, please visit www.rugstorm.com or contact us at sales@rugstorm.com

RUGSTORM

Reliable Devices Built to Make Work Easier



China Office
NO.599 Gaojing Road, Shanghai, China



Netherlands Office
Baltesakker 17, Eindhoven, Netherlands



Japan Office
7-7-24 Shinjuku, Tokyo, Japan



After Sales
3-30-8 Higashi, Kunitachi, Japan



Website
www.rugstorm.com



E-mail
sales@rugstorm.com

Touch Panel PC D156WN

15.6-inch Industrial Touch Panel PC – Windows®

RUGSTORM Touch Panel PC Windows® Series is a range of Windows® industrial panel PCs from 10.1 to 21.5 inches. Its versatile, installation-friendly design integrates seamlessly into a wide variety of industrial setups, delivering maximum flexibility with minimal effort. Combined with RUGSTORM's fast and cost-effective customization services, the Windows® series offers a solution precisely tailored to your workflow, performance requirements, and long-term operational needs.



Extreme Temp. Resistance
Humidity Resistance



Capacitive Touch Panel
5-point Multi-touch



Sleek Stylish Design
Aluminium-alloy Frame



ESD Certified
Front Panel Protection



Seamless Connectivity
Comprehensive I/O Ports



Tailored Specifications
Customization Available

15.6-inch Windows® Industrial Panel PC



China Office
NO.599 Gaojing Road, Shanghai, China



Japan Office
7-7-24 Shinjuku, Tokyo, Japan



Website
www.rugstorm.com



Netherland Office
Baltesakker 17, Eindhoven, Netherlands




After Sales
3-30-8 Higashi, Kunitachi, Japan



E-mail
sales@rugstorm.com

RUGSTORM | Touch Panel PC D156WN

OS	Windows® 10 LTSC / Windows® 11	Memory	4GB DDR4 / 16GB	
CPU	Intel Processor N100, 3.5GHz (Max)	Storage	128GB / 256GB / 512GB / 1TB	
Display	15.6-inch	Dimension	394mm (L) 244mm (W) 50.5mm (D)	
	1920 x 1080 resolution		2.2kg	
	5-point capacitive touch screen	Power	Input : 12V	
	Max Brightness: 300 cd/m2		Wireless Connectivity	Wi-Fi 2.4GHz
	Contrast Ratio: 1200:1			4G LTE (optional)
	Viewing Angel: 170°			Bluetooth® v5.4(optional)
Response Time : 30ms	Environmental Resistance	Operating Temperature : -10°C ~55°C		
Backlight Light Life : 30,000h (Min)		Storage Temperature : -20°C ~ 60°C		
Interface		· USB-C x 1	Operating Humidity : 0%~95% (non-condensing)	
		· USB 3.0 x 4	Front Panel Sealing : IP54 / IP65 (optional)	
	· USB 2.0 x 2	Surface Hardness : 6H		
	· DB9 x 2	Compliance	JATE / TELEC / VCCI / CE DOC / UKCA	
	· HDMI x 1		...	
· DP x 1				
· RJ45 x 2				
· Audio x 1				



*RUGSTORM holds a wide range of certifications across multiple countries, For more information, please contact us at sales@rugstorm.com

*Specifications are subject to change without notice. For the latest updates, please visit www.rugstorm.com or contact us at sales@rugstorm.com

RUGSTORM

Reliable Devices Built to Make Work Easier



China Office
NO.599 Gaojing Road, Shanghai, China



Netherlands Office
Baltesakker 17, Eindhoven, Netherlands



Japan Office
7-7-24 Shinjuku, Tokyo, Japan



After Sales
3-30-8 Higashi, Kunitachi, Japan



Website
www.rugstorm.com



E-mail
sales@rugstorm.com

Touch Panel PC D215WN

21.5-inch Industrial Touch Panel PC – Windows®

RUGSTORM Touch Panel PC Windows® Series is a range of Windows® industrial panel PCs from 10.1 to 21.5 inches. Its versatile, installation-friendly design integrates seamlessly into a wide variety of industrial setups, delivering maximum flexibility with minimal effort. Combined with RUGSTORM's fast and cost-effective customization services, the Windows® series offers a solution precisely tailored to your workflow, performance requirements, and long-term operational needs.



Extreme Temp. Resistance
Humidity Resistance



Capacitive Touch Panel
5-point Multi-touch



Sleek Stylish Design
Aluminium-alloy Frame



ESD Certified
Front Panel Protection



Seamless Connectivity
Comprehensive I/O Ports



Tailored Specifications
Customization Available




21.5-inch Windows® Industrial Panel PC



RUGSTORM | Touch Panel PC D215WN

OS	Windows® 10 LTSC / Windows® 11	Memory	4GB DDR4 / 16GB	
CPU	Intel Processor N100, 3.5GHz (Max)	Storage	128GB / 256GB / 512GB / 1TB	
Display	21.5-inch	Dimension	532mm (L) 325mm (W) 57mm (D)	
	1920 x 1080 resolution		5.5kg	
	5-point capacitive touch screen	Power	Input : 12V	
	Max Brightness: 300 cd/m2		Wireless Connectivity	Wi-Fi 2.4GHz
	Contrast Ratio: 1200:1			4G LTE (optional)
	Viewing Angel: 170°			Bluetooth® v5.4 (optional)
Response Time : 30ms	Environmental Resistance	Operating Temperature : -10°C ~55°C		
Backlight Light Life : 30,000h (Min)		Storage Temperature : -20°C ~ 60°C		
Interface		· USB-C x 1	Operating Humidity : 0%~95% (non-condensing)	
		· USB 3.0 x 4	Front Panel Sealing : IP54 / IP65 (optional)	
		· USB 2.0 x 2	Surface Hardness : 6H	
	· DB9 x 2	Compliance	JATE / TELEC / VCCI / CE DOC / UKCA	
	· HDMI x 1		...	
· DP x 1				
· RJ45 x 2				
· Audio x 1				



*RUGSTORM holds a wide range of certifications across multiple countries, For more information, please contact us at sales@rugstorm.com

*Specifications are subject to change without notice. For the latest updates, please visit www.rugstorm.com or contact us at sales@rugstorm.com

RUGSTORM

Reliable Devices Built to Make Work Easier



China Office
NO.599 Gaojing Road, Shanghai, China



Netherland Office
Baltesakker 17, Eindhoven, Netherlands



Japan Office
7-7-24 Shinjuku, Tokyo, Japan



After Sales
3-30-8 Higashi, Kunitachi, Japan



Website
www.rugstorm.com



E-mail
sales@rugstorm.com

タッチパネル PC D101WN

10.1-inch Android™ Touch Panel PC

RUGSTORM Windows® シリーズは、10.1インチから21.5インチまでの産業用パネルPCを展開しています。汎用性が高く設置しやすいデザインにより、あらゆる産業設備へスムーズに統合でき、最小限の手間で最大限の柔軟性を発揮します。迅速なカスタマイズ対応により、業務フローや性能要件、さらには長期的な運用ニーズに至るまで、お客様専用最適化された一台をお届けします。



10.1



優れた耐温性
過酷な湿度に対応



静電容量式タッチパネル
5点マルチタッチ



洗練された意匠
堅牢なアルミ筐体



ESD認証済
前面保護パネル設計



安定した接続性
豊富な拡張ポート




仕様の最適化
柔軟なカスタマイズ

10.1-inch Windows® Industrial Panel PC



OS	Windows® 10 LTSC / Windows® 11	メモリ	4GB DDR4 / 16GB
CPU	Intel Processor N100, 3.5GHz (Max)	ストレージ	128GB / 256GB / 512GB / 1TB
ディスプレイ	10.1インチ	外形仕様	252mm (長さ) 171mm (幅) 49.5mm (厚さ)
	1280 × 800 解像度		1.1kg
	静電容量式 5点タッチパネル対応	電源	入力電圧：12V
	最大輝度 350 cd/m2	無線接続	Wi-Fi 2.4GHz対応
	コントラスト比: 1000:1		4G LTE (オプション)
	視角: 170°		Bluetooth® v5.4 (オプション)
応答速度 (タイプ) : 30ms	使用環境	動作温度：-10°C ~ 55°C	
バックライトの最低寿命：30,000時間		保存温度：-20°C ~ 60°C	
インターフェース		・ USB-C x 1	使用湿度：0% ~ 95% (結露なきこと)
	・ USB 3.0 x 4	前面防塵・防滴仕様：IP54 / IP65 (オプション)	
	・ USB 2.0 x 2	表面硬度：6H	
	・ DB9 x 2	適応規格	JATE / TELEC / VCCI / CE DOC
	・ HDMI x 1		Rugstormは複数の国で認証を提供しています。
	・ DP x 1		詳細については、sales@rugstorm.comまでお問い合わせください。
・ RJ45 x 2			
・ Audio x 1			



*製品の仕様は予告なく変更することがあります。最新版は公式サイト (www.rugstorm.com) または sales@rugstorm.com にてご確認ください。
 *Specifications are subject to change without notice. For the latest updates, please visit www.rugstorm.com or contact us at sales@rugstorm.com

タッチパネル PC D156WN

15.6-inch Android™ Touch Panel PC

RUGSTORM Windows® シリーズは、10.1インチから21.5インチまでの産業用パネルPCを展開しています。汎用性が高く設置しやすいデザインにより、あらゆる産業設備へスムーズに統合でき、最小限の手間で最大限の柔軟性を発揮します。迅速なカスタマイズ対応により、業務フローや性能要件、さらには長期的な運用ニーズに至るまで、お客様専用最適化された一台をお届けします。



15.6



優れた耐温性
過酷な湿度に対応



静電容量式タッチパネル
5点マルチタッチ



洗練された意匠
堅牢なアルミ筐体



ESD認証済
前面保護パネル設計



安定した接続性
豊富な拡張ポート




仕様の最適化
柔軟なカスタマイズ

15.6-inch Windows® Industrial Panel PC



OS	Windows® 10 LTSC / Windows® 11	メモリ	4GB DDR4 / 16GB
CPU	Intel Processor N100, 3.5GHz (Max)	ストレージ	128GB / 256GB / 512GB / 1TB
ディスプレイ	15.6インチ	外形仕様	394mm (長さ) 244mm (幅) 50.5mm (厚さ)
	1920 × 1080 解像度		2.2kg
	静電容量式 5点タッチパネル対応	電源	入力電圧：12V
	最大輝度 300 cd/m2	無線接続	Wi-Fi 2.4GHz対応
	コントラスト比: 1200:1		4G LTE (オプション)
	視角: 170°		Bluetooth® v5.4 (オプション)
応答速度 (タイプ) : 30ms	使用環境	動作温度：-10°C ~ 55°C	
バックライトの最低寿命：30,000時間		保存温度：-20°C ~ 60°C	
		使用湿度：0% ~ 95% (結露なきこと)	
インターフェース	・ USB-C x 1	適応規格	前面防塵・防滴仕様：IP54 / IP65 (オプション)
	・ USB 3.0 x 4		表面硬度：6H
	・ USB 2.0 x 2		JATE / TELEC / VCCI / CE DOC
	・ DB9 x 2	Rugstormは複数の国で認証を提供しています。	
	・ HDMI x 1	詳細については、sales@rugstorm.comまでお	
	・ DP x 1	問い合わせください。	
・ RJ45 x 2			
・ Audio x 1			



*製品の仕様は予告なく変更することがあります。最新版は公式サイト (www.rugstorm.com) または sales@rugstorm.com にてご確認ください。
 *Specifications are subject to change without notice. For the latest updates, please visit www.rugstorm.com or contact us at sales@rugstorm.com

タッチパネル PC D215WN

21.5-inch Android™ Touch Panel PC

RUGSTORM Windows® シリーズは、10.1インチから21.5インチまでの産業用パネルPCを展開しています。汎用性が高く設置しやすいデザインにより、あらゆる産業設備へスムーズに統合でき、最小限の手間で最大限の柔軟性を発揮します。迅速なカスタマイズ対応により、業務フローや性能要件、さらには長期的な運用ニーズに至るまで、お客様専用最適化された一台をお届けします。



21.5



優れた耐温性
過酷な湿度に対応



静電容量式タッチパネル
5点マルチタッチ



洗練された意匠
堅牢なアルミ筐体



ESD認証済
前面保護パネル設計



安定した接続性
豊富な拡張ポート




仕様の最適化
柔軟なカスタマイズ

21.5-inch Windows® Industrial Panel PC



OS	Windows® 10 LTSC / Windows® 11	メモリ	4GB DDR4 / 16GB
CPU	Intel Processor N100, 3.5GHz (Max)	ストレージ	128GB / 256GB / 512GB / 1TB
ディスプレイ	21.5インチ	外形仕様	532mm (長さ) 325mm (幅) 57mm (厚さ)
	1920 × 1080 解像度		5.5kg
	静電容量式 5点タッチパネル対応	電源	入力電圧：12V
	最大輝度 300 cd/m2	無線接続	Wi-Fi 2.4GHz対応
	コントラスト比: 15200:1		4G LTE (オプション)
	視角: 170°		Bluetooth® v5.4 (オプション)
応答速度 (タイプ) : 30ms	使用環境	動作温度：-10°C ~ 55°C	
バックライトの最低寿命：30,000時間		保存温度：-20°C ~ 60°C	
		使用湿度：0% ~ 95% (結露なきこと)	
インターフェース	・ USB-C x 1	適応規格	前面防塵・防滴仕様：IP54 / IP65 (オプション)
	・ USB 3.0 x 4		表面硬度：6H
	・ USB 2.0 x 2		JATE / TELEC / VCCI / CE DOC
	・ DB9 x 2	Rugstormは複数の国で認証を提供しています。	
	・ HDMI x 1	詳細については、sales@rugstorm.comまでお	
	・ DP x 1	問い合わせください。	
・ RJ45 x 2			
・ Audio x 1			



*製品の仕様は予告なく変更することがあります。最新版は公式サイト (www.rugstorm.com) または sales@rugstorm.com にてご確認ください。
 *Specifications are subject to change without notice. For the latest updates, please visit www.rugstorm.com or contact us at sales@rugstorm.com