

Rugged Tablet RA60

Handheld Resilience, Connected Everywhere

RUGSTORM Rugged Tablet RA60 is a handheld Android™ 14 rugged tablet built for outdoor professionals. Certified with IP68 and MIL-STD-810H, it resists water, dust, and extreme conditions while maintaining a lightweight, mobile design. Powered by Qualcomm® QCM4490 and 5G connectivity, it ensures stable performance even in remote areas. Perfect for GIS, utility inspection, and demanding field applications, the RA60 keeps you connected and productive wherever the job takes you.



IP68 Ingress Protection
Water & Dust Resistance



10-point Capacitive Touch
Glove-friendly Operation



High-resolution Camera
Scanning Function



MIL-STD-810H
1.5m Drop Resistance



Built-in GNSS
High-precision Positioning



High Brightness
Clearly Visible in Sunlight

Handheld Resilience, Connected Everywhere



China Office
NO.599 Gaojing Road, Shanghai, China



Japan Office
7-7-24 Shinjuku, Tokyo, Japan



Website
www.rugstorm.com



Netherlands Office
Baltesakker 17, Eindhoven, Netherlands



After Sales
3-30-8 Higashi, Kunitachi, Japan



E-mail
sales@rugstorm.com

OS	
• Android™ 14 GMS	
CPU	
• Qualcomm® QCM4490	
Memory	
• 8 GB LPDDR4X	
Storage	
• 128 GB UFS2.2	
Display	
• 6-inch	• 1080 x 1920 resolution
• Supports wet & glove operation modes	
• Max brightness: 550 nits	• 10-point capacitive touch
Sensor	
• Ambient Light Sensor	• Accelerometer
• Compass	• Gyroscope
• Barometer	• Proximity sensor
• Geomagnetic sensor	
Audio	
• 95 dB speaker	• 2 x Built-in Microphones
Camera	
• Rear: 32 MP (Autofocus, LED light)	
• Front: 8 MP	
Interface	
• 1 x USB3.1 Type-C	• 14-pin docking connector
• 1 x MicroSDXC slot	• 1 x Micro SDXC slot
• 5 x Programmable button	
Dimensions & Weight	
• 193.5mm H x 93mm D x 15mm H	
• 0.39kg	

Power	
• Battery: 3.8V, 8200mAh	
• Operating time: Approximately 8 hours (JEITA 2.0)	
AC/DC Adaptor	
• Input: AC 100-240V 50/60 Hz	
• Output: DC 9V/2A (QC3.0)	
Wireless Connectivity	
Wi-Fi (WLAN)	Cellular (WWAN)
• IEEE 802.11 a/b/g/n/ac/ax 2.4 & 5 GHz Wi-Fi 6E	• 5G/4G LTE Global version
• Bluetooth® (WPAN) v5.2	• GPS / Galileo / BeiDou / GLONASS
• NFC (TypeA, TypeB, ISO/IEC 15693)	
Environmental Resistance	
• Operating temperature -20°C ~ 60°C	• Storage temperature -40°C ~ 70°C
• Storage humidity 0% ~ 95% non-condensing	• Ingress Protection IP68
• MIL-STD-810H (1.5m/5')	
Compliance	
• CE, RoHS, REACH	• TELEC, JATE, VCCI, PSE
• IC	• UKCA
• GMS	• WEEE
• *For detailed information, please contact us at sales@rugstorm.com	
Accessory (paid options)	
• Battery charger	• High-precision antenna
• RFID reader	• Hand strap
• Barcode reader	• Multi-battery charging station

*RUGSTORM holds a wide range of certifications across multiple countries, For more information, please contact us at sales@rugstorm.com

*Specifications are subject to change without notice. For the latest updates, please visit www.rugstorm.com or contact us at sales@rugstorm.com



堅牢タブレット RA60

8-inch Rugged Tablet

RUGSTORM RA60は、屋外のプロフェッショナルのために作られたハンディタイプのAndroid™ 14搭載タブレットです。IP68およびMIL-STD-810Hに準拠し、軽量で機動性の高いデザインながら、水、埃、極限環境に対する高い耐性を誇ります。Qualcomm® QCM4490と5G接続により、遠隔地でも安定したパフォーマンスを維持。GIS（地理情報システム）、設備点検、過酷なフィールドアプリケーションに最適で、どんな場所でも生産性を途切れさせません。



IP68準拠
防塵・防水設計



静電容量式タッチパネル
手袋操作対応



高輝度パネル
屋外でも高い視認性



米軍規格 MIL-STD-810G
1.5m耐落下・耐衝撃設計



内蔵GNSS
高精度測位



高輝度パネル
屋外でも高い視認性

Handheld Resilience, Connected Everywhere



OS	
・ Android™ 14 GMS	
CPU	
・ Qualcomm® QCM4490	
メモリー & ストレージ	
・ 8 GB LPDDR4X	・ 128 GB UFS2.2
ディスプレイ	
・ 6" 1080 x 1920 resolution	
・ タッチ操作モード：タッチ / 手袋 / 水滴	
・ 最大輝度 550 nits	・ 静電容量方式 10点マルチタッチ
センサー	
・ 環境光センサー	・ 加速度
・ 地磁気センサー	・ ジャイロセンサー
・ 気圧計	・ 近接センサー
・ コンパス	
オーディオ	
・ 2 x マイク	・ 95dB スピーカー (10 cm, 1 kHz)
カメラ	
・ リア: 32 MP (オートフォーカス、LEDライト)	
・ フロント : 8 MP	
インターフェース	
・ 1 x USB3.1 Type-C	
・ 2 x Nano SIM カード スロット (DSDS)	・ 1 x Micro SDXC スロット (Max: 2TB)
・ ドッキングコネクタ 14-pin	・ 5 x プログラム可能なボタン
外形仕様	
・ 幅193.5mm x 奥行93mm x 高さ15mm	
・ 0.39kg	

電源	
・ 主電池: 3.8 V, 8000mAh バッテリー	
・ 動作時間: 約8時間	
AC/DC アダプター	
・ 入力 : AC 100-240V 50/60 Hz 出力 : DC 9V/2A (QC3.0)	
無線	
Wi-Fi (WLAN)	Cellular (WWAN)
・ IEEE 802.11 a/b/g/n/ac/ax 2.4 & 5GHz Wi-Fi6E	・ 5G/4G LTE グローバル版
・ Bluetooth® (WPAN) v5.2	・ GPS / Galileo / BeiDou / GLONASS
・ RFID- NFC (TypeA, TypeB, ISO/IEC 15693)	
耐環境性	
動作温度	保存温度
・ -20°C ~ 60°C	・ -40°C ~ 70°C
保存湿度 0% ~ 95% (結露なきこと)	・ 防塵・防水 IP68準拠
・ MIL-STD-810H (516.8 1.5m/5')	
適応規格	
・ FCC	・ CE, RoHS, REACH
・ IC	・ TELEC, JATE, VCCI, PSE
・ GMS	・ WEEE
本製品は、世界各国の主要な規格・認証に準拠しています。詳細は弊社営業担当 (sales@rugstorm.com) までお問い合わせください。	
付属品 有料オプション	
・ バッテリー充電器	・ 高精度GNSSアンテナ
・ マルチバッテリー充電ステーション	・ ハンドストラップ
・ バーコードリーダー	・ RFIDリーダー

*製品の仕様は予告なく変更することがあります。最新版は公式サイト (www.rugstorm.com) または sales@rugstorm.com にてご確認ください。
*Specifications are subject to change without notice. For the latest updates, please visit www.rugstorm.com or contact us at sales@rugstorm.com