


Display	10.1-inch	Dimension	252mm (L) 171mm (W) 31.5mm (D)
	1280 × 800 resolution		0.82kg
	5-point capacitive touch screen	Power	Input : 12V
	Max Brightness: 350 cd/m2		Operating Temperature : -10°C ~55°C
	Contrast Ratio: 1000:1	Environmental Resistance	Storage Temperature : -20°C ~ 60°C
	Viewing Angel: 170°		Operating Humidity : 5%~95% (non-condensing)
	Response Time : 30ms		Front Panel Sealing : IP54 / IP65 (optional)
	Backlight Light Life : 30,000h		Surface Hardness : 6H
	Active Area : 217.98 x 136.6mm	Compliance	This product meets major global standards and holds relevant certifications. For details, please email sales@rugstorm.com.
	Display Color : 16.7M		
Interface	· DC Jack x 1 · HDMI x 1 · USB-B x 1 · VGA x 1		



*RUGSTORM holds a wide range of certifications across multiple countries, For more information, please contact us at sales@rugstorm.com


*Specifications are subject to change without notice. For the latest updates, please visit www.rugstorm.com or contact us at sales@rugstorm.com



RUGSTORM



Display	15.6-inch 1920 × 1080 resolution	Dimension	384.2mm (L) 244mm (W) 32.5mm (D)	
	5-point capacitive touch screen		1.66kg	
	Max Brightness: 300 cd/m2	Power	Input : 12V	
	Contrast Ratio: 1000:1		Environmental Resistance	Operating Temperature : -10°C ~55°C
	Viewing Angel: 170°	Storage Temperature : -20°C ~ 60°C		
	Response Time : 30ms	Operating Humidity : 5%~95% (non-condensing)		
	Backlight Light Life : 30,000h	Front Panel Sealing : IP54 / IP65 (optional)		
	Active Area : 344.16 x 193.59mm	Surface Hardness : 6H		
	Display Color : 16.7M	Compliance		This product meets major global standards and holds relevant certifications. For details, please email sales@rugstorm.com.
	Interface			



*RUGSTORM holds a wide range of certifications across multiple countries, For more information, please contact us at sales@rugstorm.com



*Specifications are subject to change without notice. For the latest updates, please visit www.rugstorm.com or contact us at sales@rugstorm.com



RUGSTORM



Display	21.5-inch 1920 × 1080 resolution	Dimension	546mm (L) 342mm (W) 39mm (D)
	10-point capacitive touch screen		4.5kg
	Max Brightness: 350 cd/m2	Power	Input : 12V
	Contrast Ratio: 1000:1	Environmental Resistance	Operating Temperature : -10°C ~55°C
	Viewing Angel: 178°		Storage Temperature : -20°C ~ 60°C
	Response Time : 30ms		Operating Humidity : 5%~95% (non-condensing)
	Backlight Light Life : 30,000h		Front Panel Sealing : IP54 / IP65 (optional)
	Active Area : 476.06 x 267.79mm		Surface Hardness : 6H
	Display Color : 16.7M		
Interface	· DC Jack x 1 · HDMI x 1 · USB-B x 1 · VGA x 1	Compliance	This product meets major global standards and holds relevant certifications. For details, please email sales@rugstorm.com.



*RUGSTORM holds a wide range of certifications across multiple countries, For more information, please contact us at sales@rugstorm.com
 *Specifications are subject to change without notice. For the latest updates, please visit www.rugstorm.com or contact us at sales@rugstorm.com



RUGSTORM

